

RI TO MARKET™

ATMOSPHERE® RUNWAY 2 COLLECTION

ATMOSPHERE® *RUNWAY 2* SPECIFICATIONS

PRODUCT LINE:	Basix, Citation, Phenon, Falcon, Gulfstream, Global
SIZE:	ROLLS: 4' x 25' (100 square feet) or 4' x 50' (200 square feet)
THICKNESS:	ROLLS/SQUARE EDGE TILES: 4mm (5/32") or 9mm (3/8")
COMPOSITION:	100% Post-Consumer Recycled Tire Rubber SBR (Styrene-Butadlene Rubber) + 100% Post-Industrial Colored EPDM (Ethylene-Propylene Diene Monomer) 2019 To Market Global proprietary combinations – AFTA Registered 2005
ABRASION/WEAR RESISTANCE	ASTM-D3390-05 / ASTM C501 – 0.73g/loss
ACCELERATED TRAFFIC:	ASTM-D6119-05 – Performance indicator 5 (no change)
ACOUSTIC RATING:	ASTM-E989-06 / E492-96 4mm – IIC-57 / 9mm – IIC-59 (Impact Sound Transmission/Impact Insulation)
CHEMICAL RESISTANCE:	ASTM-F925-97 – no change (surface dulling, staining attack, color change)
COEFFICIENT OF FRICTION:	ASTM-D2047 - 0.85 dry / 1.01 wet
COMPRESSION:	ASTM-D395-03 – 9.70% (compression set under constant force)
CRITICAL RADIANT FLUX:	ASTM-E648 - Class 1 / Class 2
DENSITY (PCF):	ASTM-D3676 - 07 – 66 lbs. / cubic foot
ELONGATION AT BREAK:	ASTMD-412 - 06ae2 – 120%
STAIN RESISTANCE:	ASTM-D543 – No change (ammonia, bleach, rust, grease, coffee, fruit juice, cola, ink, lipstick)
FLOORSCORE®:	Certified

*Custom Colors, logos, graphic designs, tiles or interlocking tiles, see your To Market Sales representative for details.

©To Market Global 2019

RI™
TO MARKET

MADE IN USA

ATMOSPHERE® *RUNWAY 2* COLLECTION

Introducing the Atmosphere® *RUNWAY 2* line of recycled rubber flooring rolls/tiles designed in a versatile pallet of multiple options utilizing advanced technology of color placement to enhance energy, motion and space, all engineered for heavy commercial performance in corporate, educational, healthcare, hospitality, retail, recreation and sport environments.

- Engineered for heavy commercial performance
- Impact absorbing
- Superior density
- Vibration dampening qualities for foot and rolling traffic noise
- Outstanding slip resistance
- Superior stain resistance
- Low VOCs
- Will not promote microbial or fungal growth
- Qualified for LEED credits



GULFSTREAM TM2907 GROUND CONTROL (9MM)



CITATION TM2921 JUMBO JET



CITATION TM2924 FASHION FEED



PHENOM TM2931 SUPER MODEL



CITATION TM2922 SAPPHIRE



CITATION TM2925 BLUE STONE



PHENOM TM2932 COBALT



CITATION TM2923 TAXI WAY



CITATION TM2926 SIGNAL SQUARE



PHENOM TM2933 WHITE ZONE



GLOBAL TM2941 RAINFOREST



GLOBAL TM2944 READY-TO-WEAR



FALCON TM2951 ECLIPSE



GLOBAL TM2942 WARDROBE



GLOBAL TM2945 PHOTO SHOOT



FALCON TM2952 FLIGHT DECK



GLOBAL TM2943 RED ROAD



GLOBAL TM2946 STAR BRIGHT



BASIX TM2910 JET BLACK



GULFSTREAM TM2961 MYSTIC



GULFSTREAM TM2963 ELEMENTAL GRAY



GULFSTREAM TM2962 PROCALLUS



GULFSTREAM TM2964 STEALTH